

ROME

Series KGBA - K/G Clearing Blades for Rome or Caterpillar C-Frames

Series KGB - K/G Clearing Blades Complete with Rome C-Frames

For use with
Caterpillar D5 through D9 Tractors



FEATURES

- Cut, pile and windrow with one tool - save time and money.
- Complete control over falling trees permits working close to obstructions, selective cutting and maximum safety for operators and equipment.
- Shears stumps and small trees at ground level or below.
- Grubs out stumps and trees when desirable.
- Cuts V-type drainage ditches.
- Builds woods roads and firebreaks.

Series KGBA - K/G Clearing Blades for Rome or Caterpillar C-Frames

Specifications

Model Number	Description	Overall Length Trunnion to Stinger Tip		Overall Width Mounted		Height		Net Weight	
		ft. in.	(m)	ft. in.	(m)	ft. in.	(mm)	lb.	(kg)
KGBA5H Consisting of: KB-5100H Blade Ass'y KAB-5H Brace Group	FOR CAT D5 and D6 TRACTORS For Caterpillar D5H Tractors (71" Gauge) equipped with C-Frame Group No. 1V4437.	19' 2"	(5.84)	10' 9 1/2"	(3.29)	4' 4 1/2"	(1334)	3,520	(1597)
								2,600	(1179) 920 (417)
KGBA6H Consisting of: KB-6100H Blade Ass'y* KAB-61H Brace Group * For use with Cat C-Frame Groups	For Caterpillar D6H, D6H Series II and D6HXR Tractors (74" Gauge) equipped with Caterpillar C-Frame Group No. 1J1167; Caterpillar D6R and D6RXR Tractors (74" Gauge) equipped with Caterpillar C-Frame Group No. 6Y2073 and Caterpillar D6HXL and D6RXL Tractors (74" Gauge) equipped with Caterpillar C-Frame Group No. 6I8346.	19' 2"	(5.84)	10' 9 1/2"	(3.29)	4' 4 1/2"	(1334)	3,520	(1597)
								2,600	(1179) 920 (417)
KGBA7H Consisting of: KB-7100H Blade Ass'y KAB-71H Brace Group	FOR CATERPILLAR D7 TRACTORS For Caterpillar D7H and D7R Tractors (78" Gauge) equipped with Caterpillar C-Frame Group No. 4T6135.	20' 11"	(6.38)	11' 2"	(3.40)	5' 1"	(1549)	5,200	(2359)
								4,020	(1824) 1,180 (535)
KGBA8 Consisting of: KB-8100 Blade Ass'y KAB-81 Brace Group	FOR CATERPILLAR D8 TRACTORS For Caterpillar D8H Tractors (84" Gauge) equipped with Caterpillar C-Frame Group No. 3J6605, 3J3840 or 3J3516 - ser. nos. 28E-2251- up and for Caterpillar D8K Tractors (84" Gauge) equipped with Caterpillar C-Frame Group No. 8J9856.	22' 5"	(6.83)	12' 4"	(3.76)	5' 4 3/4"	(1645)	6,820	(3094)
								5,580	(2531) 1,240 (563)
KGBA8N Consisting of: KB-8100N Blade Ass'y KAB-81N Brace Group	For Caterpillar D8N Tractors (82" Gauge) equipped with Caterpillar C-Frame Group No. 7T5309 and Caterpillar D8R Tractors equipped with Caterpillar C-Frame Group No. 8E6191.	22' 8"	(6.91)	12' 9"	(3.89)	5' 1"	(1549)	6,960	(3157)
								5,760	(2613) 1,200 (544)

NOTE: For Caterpillar D8H Tractors, serial nos. 28E-1 thru 28E-2250 equipped with Caterpillar C-Frame Group No. 2J2457, use OM-00068 Ball Stud Assembly (OPTIONAL EQUIPMENT) in lieu of Standard Ball Studs.

- NOTE:**
- All Series KGBA Clearing Blades can be used with either cable or hydraulic operation if available on tractor. No sheaves, cable, hydraulic cylinders or components are furnished by ROME. ■ Tilt cylinder arrangements available on special order. Prices, specifications and delivery information on request.
 - When ordering Series KGBA Clearing Blades for Caterpillar track-type tractors, specify C-Frame Group Number.

Series KGB - K/G Clearing Blades Complete for Rome C-Frames

Specifications

Model Number	Description	Overall Length Trunnion to Stinger Tip		Overall Width Mounted		Height		Net Weight	
		ft. in.	(m)	ft. in.	(m)	ft. in.	(mm)	lb.	(kg)
FOR CAT D5 and D6 TRACTORS									
KGB5HLGP Consisting of: KB-5100HLGP Blade Ass'y KD-52HLGP C-Frame Ass'y KAB-51HLGP Brace Group	For Caterpillar D5HLGP Tractors	19' 2"	(5.84)	13' 0"	(3.96)	4' 4 1/2"	(1334)	5,170	(2345)
								3,500	(1588)
								2,300	(1043)
								920	(417)
KGB6H Consisting of: KB-6100H Blade Ass'y KD-62H C-Frame Ass'y KAB-61H Brace Group	For Caterpillar D6H, D6H Series II, D6HXL, D6HXR, D6R, D6RXL and D6RXR Tractors.	19' 2"	(5.84)	10' 9"	(3.28)	4' 4 1/2"	(1334)	5,310	(2409)
								2,600	(1179)
								1,790	(812)
								920	(417)
KGB6HLGP Consisting of: KB-6100HLGP Blade Ass'y KD-62HLGP C-Frame Ass'y KAB-61HLGP Brace Group	For Caterpillar D6HLGP, D6HLGP Series II and D6RLGP Tractors.	19' 2"	(5.84)	12' 9"	(3.89)	4' 4 1/2"	(1334)	6,310	(2345)
								2,990	(1356)
								2,400	(1089)
								920	(417)
FOR CAT D7 TRACTORS									
KGB7H Consisting of: KB-7100H Blade Ass'y KD-72H C-Frame Ass'y KAB-71H Brace Group	For Caterpillar D7H and D7R Tractor equipped with angle and straight dozer cylinders.	20' 11"	(6.38)	11' 2"	(3.40)	5' 1"	(1549)	7,625	(3459)
								4,020	(1824)
								2,425	(1100)
								1,180	(535)
KGB7HLGP Consisting of: KB-7100HLGP Blade Ass'y KD-72HLGP C-Frame Ass'y KAB-71HLGP Brace Group	For Caterpillar D7HLGP and D7RLGP Tractors equipped with angle and straight dozer cylinders	20' 11"	(6.38)	13' 0"	(3.96)	5' 1"	(1549)	8,330	(3778)
								4,470	(2028)
								2,660	(1207)
								1,220	(553)

NOTE: ■ Series KGB Clearing Blades are furnished as a complete unit for mounting on the trunnions of Caterpillar track-type tractors. No trunnions, hydraulic cylinders or components furnished by ROME.

■ When ordering Series KGB Clearing Blades for Caterpillar track-type tractors, specify Tractor Serial Number.

Series KGB - K/G Clearing Blades Complete for Rome C-Frames

Specifications

Model Number	Description	Overall Length Trunnion to Stinger Tip		Overall Width Mounted		Height		Net Weight	
		ft.	in. (m)	ft.	in. (m)	ft.	in. (mm)	lb.	(kg)
FOR CATERPILLAR D8 TRACTORS									
KGB8K Consisting of: KB-8100 Blade Ass'y KD-8200K C-Frame Ass'y KAB-81 Brace Group	For Caterpillar D8K Tractors, serial nos. 76V1-up and 77V1-up, 28" maximum track shoe width.	22' 5"	(6.83)	12' 4"	(3.76)	5' 4 3/4"	(1645)	11,380	(5162)
								5,580	(2531)
								4,560	(2068)
								1,240	(563)
KGB8N Consisting of: KB-8100N Blade Ass'y KD-8200N C-Frame Ass'y KAB-81N Brace Group	For Caterpillar D8N Tractors, serial no. groups 9TC - 1X5 and prior.	22' 8"	(6.91)	12' 9"	(3.89)	5' 4 3/4"	(1645)	11,520	(5226)
								5,760	(2613)
								4,560	(2068)
								1,200	(544)
KGB8R Consisting of: KB-8100N Blade Ass'y KD-8200R C-Frame Ass'y KAB-81N Brace Group	For Caterpillar D8N Tractors, serial no. groups 5TJ - 7TK and Caterpillar D8R serial no. groups 7XM - 9EM with 4" cylinder eyes.	22' 8"	(6.91)	12' 9"	(3.89)	5' 4 3/4"	(1645)	11,520	(5226)
								5,760	(2613)
								4,560	(2068)
								1,200	(544)
FOR CATERPILLAR D9 TRACTORS									
KGAB9N Consisting of: KB-9100N Blade Ass'y KAB-91N Brace Group	For Caterpillar D9N Tractors. Special Order Only.	-	-	-	-	-	-	9,960	(4518)
								8,640	(3919)
								1,320	(599)
KGB9N Consisting of: KB-9100N Blade Ass'y KD-9200N C-Frame Ass'y KAB-91N Brace Group	For Caterpillar D9N Tractors. Special Order Only.	-	-	-	-	-	-	16,360	(7421)
								8,640	(3919)
								6,400	(2903)
								1,320	(599)

NOTE: ■ Series KGB Clearing Blades are furnished as a complete unit for mounting on the trunnions of Caterpillar track-type tractors. No trunnions, hydraulic cylinders or components furnished by ROME.

- When ordering Series KGB Clearing Blades for Caterpillar track-type tractors, specify Tractor Serial Number.
- Additional information on request for Clearing Blades to be used with Tilt Cylinder Arrangement.

ROME

ROME PLOW COMPANY

475 Sixth Street
P. O. Box 48
Cedartown, Ga. 30125, USA

Telephone: (770) 748-4450
(800) 241-7860 (USA)
Fax: 800 553-2865 (USA)
Fax: 770 748-4427

This document was created with Win2PDF available at <http://www.daneprairie.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.