

ROME

Series **Heavy-Duty Multi-Application Rakes** **MA** For Caterpillar D5 through D8 Track-Type Tractors



Extra Heavy-Duty Rake for difficult land clearing conditions - piles downed trees, stumps, underbrush and rocks for efficient removal or burning on site where permitted.

FEATURES

- | Designed to carry the maximum load every time over the most rugged terrain - under extreme conditions.
- | Welded steel single unit construction provides maximum strength with minimum weight.
- | Nine teeth per rake with 15 -3/4" opening between each tooth to allow soil to easily sift through.
- | Standard radiator protection plate and brush rack provides ample protection for the radiator and front of tractor.
- | Hardware for use with Caterpillar straight push arms or angle dozer brace group.



Specifications

Series MA Multi-Application Rakes

Model Number	Brace Group	C-Frame	Push Arms	Overall Rake Width ft. (cm)	Tooth Width in. (mm)	Net Weight lbs. (kg)
D5H Tractor MA-136H-5R MA-136H-5S	Rome MAB-51H Cat 4T2161	Rome KD-52H or Cat 1U4437 -	- Cat 4T2161	11-1/4' (343) 11-1/4' (343)	2 -1/2" (63.5) 2 -1/2" (63.5)	3,000 (1361) 3,925 (1780)
D6H & D6R MA-136H-6A MA-136H-6R MA-136H-6S	Cat 4T5342 Rome MAB-61RXL Cat 47-0815	Rome KD-62HRCC or Cat 1U1167 Rome KD-62HRCC -	- - Cat 470815	11 -3/4" (358) 12 -0' (366) 12 -0' (366)	2 -1/2" (63.5) 3 -0" ((76.2) 3 -0" ((76.2)	3,875 (1758) 3,875 (1758) 3,150 (1429)
D6HXL and D6RXL MA-136R	Rome MAB-61RXL	Rome KD-62HRCC or Cat 61-8346	-	12 -0' (366)	3 -0" ((76.2)	3,900 (1769)
D6HLGP and D6RLGP MA-151H-6LS MA-151H-6LR	Cat 6Y0948 MAB-61RXLGP	- Rome KD-62HLGP	Cat 6Y0948 -	12 -1/2' (381) 12 -1/2' (381)	2 -1/2" (63.5) 2 -1/2" (63.5)	3,760 (1706) 4,450 ((2019)
D7H & D7R MA-144H-7A MA-144H-7R MA-144H7S MA-144R-7S	Cat 4T6137 Rome MAB-71H Cat 3G-5725 Cat 3G-5725	Rome KD-72HA or Cat 4T6135 Rome KD-72HR or Cat 4T6135 - -	- - Cat 3G-5725 Cat 3G-5725	12 -0' (366) 12 -0' (366) 12 -0' (366) 12 -0' (366)	3 -0" ((76.2) 3 -0" ((76.2) 3 -0" ((76.2) 3 -0" ((76.2)	5,750 (2608) 5,750 (2608) 5,750 (2608) 5,750 (2608)
D7HLGP and D7RLGP MA-144R-7LS	Cat 135-8281	-	Cat 135-8281	13 -1/2' (412)	3 -0" ((76.2)	5,220 (2368)
D8H & D8K MA-152-8R	Rome MAB-81	Rome KD-8200AC (D8H) Rome KD-8200KC (D8K) Cat 3J6606, 8J9855,3J8840, 3J3516	-	12 -3/4' (389)	3 -1/2" (88.9)	4,795 (2175)
D8K Tractor MA-152-8R	Cat 8J9196	-	Cat 8J9196	12 -3/4' (389)	3 -1/2" (88.9)	9,075 (4116)
D8N Tractor Pin Nos. 9TC thru 1XJ MA-152N-8A MA-152N-6R MA-152N-8S	Cat 7T2433 Rome MAB-81H Rome MAB-81H	Rome KD-9300NR or Cat 7T5309 Rome KD-8200NRC or Cat 7T5309 Rome KD-8200NRC or Cat 7T5309	- - -	12 -2/3' (305) 12 -2/3' (305) 12 -2/3' (305)	3 -1/2" (88.9) 3 -1/2" (88.9) 3 -1/2" (88.9)	5,700 (2585) 6,870 (3116) 6,870 (3116)
D8R and D8N Pin Nos. 5TJ thru 7TK MA-152R-8S	Cat 118-3173	-	Cat 118-3173	12 -2/3' (305)	3 -0" ((76.2)	5,220 (2368)



ROME PLOW EQUIPMENT CO.,LLC

475 Sixth Street
P.O. Box 48,
Cedartown, GA 30125, USA
www.romeplow.com

Telephone: (770) 748-4450
(800) 241-7860 (USA)
Fax: (800) 553-2865 (USA)
Fax: 770-748-4427

This document was created with Win2PDF available at <http://www.daneprairie.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.