



Series

TACW

Wheel Offset Disk Harrows

For use with tractors in the 70 to 160 horsepower range



FEATURES

- | For deep plowing, plowing in heavy trash, mixing and aerating.
- | Heavy -duty proven design -rugged, boxed angle construction, welded for maximum strength and rigidity.
- | Combines thorough mixing and aeration with easy maneuverability and transportability.
- | Adjustable disk blade scrapers. | Tapered roller gang bearings - greaseable
- | High gang carrier design to prevent trash build-up and clogging.
- | Up to 592 lbs. of weight per disk blade, depending on model with an average of 544 lbs.
- | Full range of adjustments to control depth of penetration - up to 10 inches maximum with standard 32 inch disk blade.
- | Levels, cuts and mixes to full working depth.



Specifications TACW Wheel Offset Disk Harrows

17-3/4" (450 mm) Disk Spacing; 2-1/8" (54 mm) Round Axles. Equipped With Dual Tapered Roller Bearings.

Model Number	Width Of Cut	No. of Disks	* Suggested		Wt. per Disk lbs.	Net Weight lbs.
			DB. PP.	DB. HP.		
TACW-10	6' - 6"	10	7700 - 9700	72 - 91	592	5,920
TACW-12	8' - 0"	12	8500 - 10500	79 - 98	536	6,430
TACW-16	11' - 0"	16	13600 - 15600	127 - 146	519	8,300
TACW-20	14' - 0"	20	14900 - 16900	139 - 158	528	10,555

* Drawbar Pounds Pull, PTO Horsepower and Drawbar Horsepower are suggested ranges and vary according to soil conditions and weight added to harrow. Harrow weights shown are with standard 36" x 1/2" thick, cutout, deep concavity disk blades.

Standard Equipment

- ‡ 32" (813 mm) dia., 3/8" (10 mm) thick, cutout (notched) deep concavity disk blades.
- ‡ New Industrial Tires - 2 each.
TACW-10 thru TACW-16
12.5L x 15 - 12 ply. F1 Highway Service.
TACW-20 - 16.5L x 16.1 - 10 ply.
- ‡ Adjustable Disk Blade Scrapers.
- ‡ Hydraulic Control Group:
Includes hydraulic cylinder, (hoses with fittings to reach rear of tractor and hose holder).
- ‡ Heavy-Duty Bearing Wear Plates.

Per ASAE S290.1. Width of Cut will vary with gang angle and blade diameter

Optional Equipment

- ‡ Cylinder Rod Stops - all models.



Model TACW-10

* Drawbar pounds pull and drawbar horsepower will vary according to soil conditions and weight added to harrow.



ROME PLOW EQUIPMENT CO., LLC

475 Sixth Street
P.O. Box 48,
Cedartown, GA 30125, USA
www.romeplow.com

Telephone: (770) 748-4450
(800) 241-7860 (USA)
Fax: (800) 553-2865 (USA)
Fax: 770-748-4427

This document was created with Win2PDF available at <http://www.daneprairie.com>.
The unregistered version of Win2PDF is for evaluation or non-commercial use only.